

1. Comprehensive assessment of technical condition of vehicles during operation based on Harrington's desirability function / V. Aulin, I. Rogovskii, O. Lyashuk [et all] // Eastern-European Journal of Enterprise Technologies. - 2024 - 1 (3 (127). - P. 37-46.

<https://dspace.kntu.kr.ua/items/31fea151-e48c-4604-922b-0874ed6dc0aa>

2. Victor Aulin, Oleg Lyashuk, Serhii Lysenko, Oleg Tson, Andrii Hrynkiv, Nataliia Rozhko. Extension of the service term of the resource-determining elements of vehicle units based on the artificial neural network model of their defects. Procedia Structural Integrity 59 (2024) 436–443.

<https://doi.org/10.1016/j.prostr.2024.04.062>

3. Victor Aulin, Mykola Mytnyk, Andrii Hrynkiv, Artem Holovatyi, Sergii Lysenko, Uliana Plekan. Prediction of recognized defect combinations in the parts of automobile units, systems, and assemblies using artificial neural network method. Procedia Structural Integrity 59 (2024) 444–451.

<https://doi.org/10.1016/j.prostr.2024.04.063>

4. Lyashuk, O., Sokil, B., Hevko, R., Aulin, V., Serliko, L., Yuriy, V., Serliko, D., Dovbysh, A. The Dynamics of the Working Body of the Tubular Conveyor with the Chain Drive (2021) Journal of Applied and Computational Mechanics, 7 (3), pp. 1710-1718.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85110588232&doi=10.22055%2fjacm.2021.35725.2719&partnerID=40&md5=965980bb6913a0871094cdd6a027abcd>

5. Hrynkiv, A., Rogovskii, I., Aulin, V., Lysenko, S., Titova, L., Zagurskiy, O., Kolosok, I. Development of a system for determining the informativeness of the diagnosing parameters for a cylinder-piston group in the diesel engine during operation (2020) Eastern-European Journal of Enterprise Technologies, 3 (5-105), pp. 19-29.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85087921967&doi=10.15587%2f1729-4061.2020.206073&partnerID=40&md5=3860cb2d23a470bfdec0db4f031ec21b>

6. Aulin, V., Hrynkiv, A., Lyashuk, O., Vovk, Y., Lysenko, S., Holub, D., Zamota, T., Pankov, A., Sokol, M., Ratynskyi, V., Lavrentieva, O. Increasing the functioning efficiency of the working warehouse of the "Uvk Ukraine" company transport and logistics center (2020) Communications - Scientific Letters of the University of Zilina, 22 (2), pp. 3-14. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85087921967&doi=10.15587%2f1729-4061.2020.206073&partnerID=40&md5=3860cb2d23a470bfdec0db4f031ec21b>

- [85083288545&doi=10.26552%2fcom.C.2020.2.3-14&partnerID=40&md5=4a85ad9860188fbc214c8aefe9f2740a](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85083288545&doi=10.26552%2fcom.C.2020.2.3-14&partnerID=40&md5=4a85ad9860188fbc214c8aefe9f2740a)
7. Aulin, V., Hrynkiv, A., Lysenko, S., Zamota, T., Pankov, A., Tykhyi, A. Determining the rational composition of tribologically active additive to oil to improve characteristics of tribosystems (2019) Eastern-European Journal of Enterprise Technologies, 6 (12-102), pp. 52-64.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85077276948&doi=10.15587%2f1729-4061.2019.184496&partnerID=40&md5=a6062c3b06f1f6a2fc36298620cad8f1>
8. Aulin, V., Lyashuk, O., Hrynkiv, A., Lysenko, S., Zamota, T., Vovk, Y., Pankov, A., Tykhyi, A., Horkunenko, A. Determination of the rational composition of the additive to oil with the use of the katerynivka friction geo modifier (2019) Tribology in Industry, 41 (4), pp. 548-562.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85077147091&doi=10.24874%2fti.2019.41.04.08&partnerID=40&md5=7181390036db8cbf1f4b13e0ca5a9619>
9. Aulin, V., Hrynkiv, A., Lysenko, S., Lyashuk, O., Zamota, T., Holub, D. Studying the tribological properties of mated materials C61900-A48-25BC1.25BNO. 25 in composite oils containing geomodifiers (2019) Eastern-European Journal of Enterprise Technologies, 5 (12-101), pp. 38-47.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075360433&doi=10.15587%2f1729-4061.2019.179900&partnerID=40&md5=a5dd01a91b92d0c34b2452c09cacfdb>
10. Aulin, V., Lysenko, S., Lyashuk, O., Hrinkiv, A., Velykodnyi, D., Vovk, Y., Holub, D., Chernai, A. Wear resistance increase of samples tribomating in oil composite with geo modifier KgMf-1 (2019) Tribology in Industry, 41 (2), pp. 156-165.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069513531&doi=10.24874%2fti.2019.41.02.02&partnerID=40&md5=5ed501a4152ca6c871b55b1ea3a9dd6a>
11. Aulin, V., Hrynkiv, A., Lysenko, S., Dykha, A., Zamota, T., Dzyura, V. Exploring a possibility to control the stressed-strained state of cylinder liners in diesel engines by the tribotechnology of alignment (2019) Eastern-European Journal of Enterprise Technologies, 3 (12-99), pp. 6-16.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068378789&doi=10.15587%2f1729-4061.2019.171619&partnerID=40&md5=0b8c472fd88122de58af0c5d73b55842>

12. Aulin, V., Hrynkiv, A., Lysenko, S., Rohovskii, I., Chernovol, M., Lyashuk, O., Zamota, T. Studying truck transmission oils using the method of thermaloxidative stability during vehicle operation (2019) Eastern-European Journal of Enterprise Technologies, 1 (6-97), pp. 6-12.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066864614&doi=10.15587%2f1729-4061.2019.156150&partnerID=40&md5=55af287de9e0933948b96dea14746274>